

EXCLUSIVE  
ENTRANCE  
DOORS

TOP 7




TOP 7 | 2023

## SmartTech

developed by Delutech

- Thermal-insulating profile
- Excellent thermal conductivity
- Double-sided aluminum covering filler with a thickness of 90mm
- 3 mm thick outer and inner aluminum plate
- Highly insulating PU filler
- Three-layer security insulating glass with patterns or in combination with various decorative glasses (thermal insulation=0.5W/m<sup>2</sup>K)
- 3 continuous seals with vulcanized corner joints
- Walkable aluminum threshold with thermal insulation design




$U_d$  from 0,81 W/m<sup>2</sup>K

SmartTech Standard

$U_d$  from 0,57 W/m<sup>2</sup>K

SmartTech Standard +

● Door frame and door filled with polyurethane




## DELUTECH Entrance Doors

They are one of those elements that add the finishing touch to your home and complete its overall look. It is important that entrance doors are high-quality, solid, and made from durable materials that can withstand years of use. Given that entrance doors are not only functional but also an important aesthetic element, we recommend choosing a custom-made elegant design.



# STAINLESS STEEL HANDLES



STAINLESS STEEL  
ø 30mm

STAINLESS STEEL  
40x20 mm

ALU  
RECESSED  
HANDLE  
(concealed)



## SmartTech AS-03

- COLOR RAL 7016
- Round handle bar STAINLESS STEEL ø 30mm / 800 mm
- metaLock access control system in the door leaf



## SmartTech AS-14

- COLOR RAL 9007
- Rectangular handle bar STAINLESS STEEL 40x20 mm / 1600 mm
- metaLock access control system in the handle



## SmartTech AS-66

- COLOR RAL 7016
- Round handle bar STAINLESS STEEL  
ø 30mm / 800 mm
- metaLock access control system  
in the door leaf



## SmartTech AS-67


- COLOR RAL 9007
- Rectangular handle bar STAINLESS STEEL  
40x20 mm / 1300 mm
- metaLock access control system  
in the handle



## SmartTech AS-25









- COLOR RAL 9006
- Round handle bar STAINLESS STEEL  
ø 30mm / 800 mm
- metaLock access control system  
in the door leaf





### SMART DOOR SYSTEM

We present to you a new access control reader that we have developed at Delutech and will be installing in our doors. The new **metaLock** reader combines four technologies: **fingerprint reader**, **keypad**, **NFC reader** and **remote access technology**. You can choose between controlling it with the controls on the reader or using the application on your smartphone. The mode of control can be changed as desired. In combination with the access point (gateway), the lock can also be remotely controlled\* and via a personal computer\*. The system is fully compatible with **Amazon Alexa\*** and **Google Home\*** technologies.

- |  |  |
|--|--|
|  control with devices with iOS operating system |  control with devices with Android operating system |
|  numeric password control                       |  fingerprint control                                |
|  wireless control                               |  bluetooth control                                  |
|  NFC card control                               |  smart phone management                             |

\* Compatibility with **Amazon Alexa**, **Google home**, management via a **personal computer** and **remote management** is possible with additional payment for a WIFI gateway.



## SmartTech AS-61

- COLOR RAL 7016
- Recessed - concealed ALU handle/ LED lighting
- metaLock access control system in the door leaf



## SmartTech AS-62

- COLOR RAL 9006
- Rectangular handle bar STAINLESS STEEL 40x20 mm / 1300 mm
- metaLock access control system in the handle





You can customize all doors  
to your liking with the help of  
**Delutech configurator**

[delutech.konfigurator-vrat.si/en](https://delutech.konfigurator-vrat.si/en)



**PD View Limited** | 07513 702072  
Epsom / Ewell | 01372404222  
London & Suburbs | [info@pd-view.co.uk](mailto:info@pd-view.co.uk)  
United Kingdom | [pd-view.co.uk](http://pd-view.co.uk)